



# MORTUARY TROLLEY

# Mortuary Body Lifting Trolley


Mortuary body lifting trolley is the series of mortuary products. For use in all mortuary refrigerators. For use on various rack system. For use on mortuary racks; dissecting tables and cadaver carriers.

Each lifting trolley was equipped with a separate body tray. All the body trays (mortuary refrigerator, for lifting cart, for walk-in rack) size is the same. Our products are a series of products, the tray is the universal size(same size).

In order to meet the different requirements of users, we support two kinds of models; Hydraulic/Manual model; and the Electrical/Battery model. Electrical models with the battery, it can be used independently after charging.

Custom-made is accepted.

## Use display:







- CE Certified Products.
- Full stainless steel 304.
- Separate body tray.
- 1 scissor lifter: 40 to 150cm height.
- 2 scissors lifter: 40 to 200cm height.
- Hydraulic and electrical models.



## Mortuary Body Lifting Trolley (Feler) Hydraulic Manual Type



### Product Features:

Type: Hydraulic Model / Manual Model.

Type 2: 1 scissor lifter

Lifting height : 40 to 150cm.

Made of the high quality stainless steel 304.

Trolley with D13cm casters, all with the brake and it is allowed for easy movement.

Each trolley with separate body tray.

The body lifter trolleys are a series of ROUNDFIN mortuary products, the tray is the universal size (same size with the mortuary refrigerator body tray).

Strong roller pallet were assembled on the top of lifter, allow the tray easy movement.

Unit can be easily loaded and unloaded by one person.

The lock design for the body tray, avoid the tray is off down.

Optional height and body tray width will be according customer requirements.



### The Specification Table

Product Name	Hydraulic/Manual Body Lifting Trolley.
Model No.	FEHLER
Body Tray Shape	
Adjustable Lift Height(mm)	400 to 1500
Min height(mm)	400
Max height(mm)	1500
Product size(mm)	2080*640*400
Body Tray Size(mm)	1940*580
Outer package size(mm)	2100*750*450
Type	1 scissor lifter
Material	Stainless Steel 304
Thickness for the tray	1.00mm
Actuator	7000N
NW/GW	90KG/110KG
Load Capacity	200KG



## Mortuary Body Lifting Trolley (Feler-E) Electrical / Battery Type

### Product Features:

Type: Electrical / Battery Body Lifting Trolley.

Type 2: 1 scissor lifter.

Lifting height : 40 to 150cm.

Made of the high quality stainless steel 304.

Electrical models with the battery, it can be used independently after charging.

It can support 150 times up and down , after each charging a full.

Unit is fabricated from the high quality gauge stainless steel 304.

Trolley with D13cm casters, all with the brake and it is allowed for easy movement.

Each trolley with separate body tray.


The body lifter trolleys are a series of ROUNDFIN mortuary products, the tray is the universal size(same size with the mortuary refrigerator body tray).

Strong roller pallet were assembled on the top of lifter, allow the tray easy movement.


Unit can be easily loaded and unloaded by one person.

The lock design for the body tray, avoid the tray is off down.

Optional height and body tray width will be according customer requirements.



### The Specification Table

Product Name	Electrical / Battery Body Lifting Trolley.
Model No.	FEHLER-E
Body Tray Shape	
Adjustable Lift Height(mm)	400 to 1500
Min height(mm)	400
Max height(mm)	1500
Product size(mm)	2080*640*400
Body Tray Size(mm)	1940*580
Outer package size(mm)	2100*750*450
Thickness for the tray	1.00mm
Type	1 scissor lifter
Material	Stainless Steel 304
Actuator	7000N
Capacity for battery	12ah
Working times after charging	150
NW/GW	90KG/110KG
Load Capacity	200KG

## Mortuary Body Lifting Trolley (RAUPE) Hydraulic / Manual Type



### Product Features:

Type: Hydraulic Model / Manual Model.

Type 2: 1 scissor lifter

Lifting height : 40 to 150cm.

Made of the high quality stainless steel 304.

Trolley with D13cm casters, all with the brake and it is allowed for easy movement.

Each trolley with separate body tray.

Each trolley with 4 pcs wheels can be moved.

The body lifter trolleys are a series of ROUNDFIN mortuary products, the tray is the universal size(same size with the mortuary refrigerator body tray).

Strong roller pallet were assembled on the top of lifter, allow the tray easy movement.


Unit can be easily loaded and unloaded by one person.

The lock design for the body tray, avoid the tray is off down.

Optional height and body tray width will be according customer requirements.



### The Specification Table

Product Name	Hydraulic/Manual Body Lifting Trolley.
Model No.	RAUPE
Body Tray Shape	
Adjustable Lift Height(mm)	400 to 1500
Min height(mm)	400
Max height(mm)	1500
Product size(mm)	2080*640*400
Body Tray Size(mm)	1940*580
Outer package size(mm)	2100*750*450
Type	1 scissor lifter
Material	Stainless Steel 304
Thickness for the tray	1.00mm
Actuator	7000N
NW/GW	90KG/110KG
Load Capacity	200KG





## Mortuary Body Lifting Trolley (TAUSEN-E) Electrical / Battery Type

### Product Features:

Type: Electrical / Battery Body Lifting Trolley.

Type 2: 1 scissor lifter.

Lifting height : 40 to 150cm.

Made of the high quality stainless steel 304.

Electrical models with the battery, it can be used independently after charging.

It can support 150 times up and down , after each charging a full.

Unit is fabricated from the high quality gauge stainless steel 304.

Trolley with D13cm casters, all with the brake and it is allowed for easy movement.

Each trolley with separate body tray.

Each body tray with 4 pcs wheels for moved.

The body lifter trolleys are a series of ROUNDFIN mortuary products, the tray is the universal size(same size with the mortuary refrigerator body tray).

Strong roller pallet were assembled on the top of lifter, allow the tray easy movement.


Unit can be easily loaded and unloaded by one person.

The lock design for the body tray, avoid the tray is off down.

Optional height and body tray width will be according customer requirements.



### The Specification Table

Product Name	Electrical / Battery Body Lifting Trolley.
Model No.	TAUSEN-E
Body Tray Shape	
Adjustable Lift Height(mm)	400 to 1500
Min height(mm)	400
Max height(mm)	1500
Product size(mm)	2080*640*400
Body Tray Size(mm)	1940*580
Outer package size(mm)	2100*750*450
Thickness for the tray	1.00mm
Type	1 scissor lifter
Material	Stainless Steel 304
Actuator	7000N
Capacity for battery	12ah
Working times after charging	150
NW/GW	90KG/110KG
Load Capacity	200KG

## Mortuary Body Lifting Trolley (KAKERLAKE) Hydraulic / Manual Type



### Product Features:

Type: Hydraulic Model / Manual Model.

Type 2: 1 scissor lifter

Lifting height : 40 to 150cm.

Made of the high quality stainless steel 304.

Trolley with D13cm casters, all with the brake and it is allowed for easy movement.

Each trolley with separate body tray.

Each trolley with 4 pcs wheels can be moved.

The body lifter trolleys are a series of ROUNDFIN mortuary products, the tray is the universal size(same size with the mortuary refrigerator body tray).

Strong roller pallet were assembled on the top of lifter, allow the tray easy movement.


Unit can be easily loaded and unloaded by one person.

The lock design for the body tray, avoid the tray is off down.

Optional height and body tray width will be according customer requirements.



### The Specification Table

Product Name	Hydraulic/Manual Body Lifting Trolley.
Model No.	KAKERLAKE
Body Tray Shape	
Adjustable Lift Height(mm)	400 to 1500
Min height(mm)	400
Max height(mm)	1500
Product size(mm)	2080*640*400
Body Tray Size(mm)	1940*580
Outer package size(mm)	2100*750*450
Type	1 scissor lifter
Material	Stainless Steel 304
Thickness for the tray	1.00mm
Actuator	7000N
NW/GW	90KG/110KG
Load Capacity	200KG





## Mortuary Body Lifting Trolley (KAKERLAKE-E) Electric / Battery Type

### Product Features:

Type: Electrical / Battery Body Lifting Trolley.

Type 2: 1 scissor lifter.

Lifting height : 40 to 150cm.

Made of the high quality stainless steel 304.

Electrical models with the battery, it can be used independently after charging.

It can support 150 times up and down , after each charging a full.

Unit is fabricated from the high quality gauge stainless steel 304.

Trolley with D13cm casters, all with the brake and it is allowed for easy movement.

Each trolley with separate body tray.

Each body tray with 4 pcs wheels for moved.

The body lifter trolleys are a series of ROUNDFIN mortuary products, the tray is the universal size(same size with the mortuary refrigerator body tray).

Strong roller pallet were assembled on the top of lifter, allow the tray easy movement.


Unit can be easily loaded and unloaded by one person.

The lock design for the body tray, avoid the tray is off down.

Optional height and body tray width will be according customer requirements.



### The Specification Table

Product Name	Electrical / Battery Body Lifting Trolley.
Model No.	KAKERLAKE-E
Body Tray Shape	
Adjustable Lift Height(mm)	400 to 1500
Min height(mm)	400
Max height(mm)	1500
Product size(mm)	2080*640*400
Body Tray Size(mm)	1940*580
Outer package size(mm)	2100*750*450
Thickness for the tray	1.00mm
Type	1 scissor lifter
Material	Stainless Steel 304
Actuator	7000N
Capacity for battery	12ah
Working times after charging	150
NW/GW	90KG/110KG
Load Capacity	200KG

## Mortuary Trolley With Cover

The mortuary trolley is an excellent choice that will provide maneuverability, convenient storage and assist in the control of debris.

This unit features hinged covers which can be securely closed when not in use and fastened beneath the table top when opened.



**Model:** KRICKET

**Product size:** 2200\*700\*750mm  
86,6\*27,6\*29,5in

**Product weight:** 140kg

**Package weight:** 200kg

**Load capacity:** 200kg

### Feature

- Full Stainless Steel 304
- Stainless steel leg, flexible wheel with brake
- Cover can be moved
- Hole in the table used for sewerage



**Model:** LIBELLE

**Product size:** 2200\*700\*750mm  
86,6\*27,6\*29,5in

**Product weight:** 140kg

**Package weight:** 200kg

**Load capacity:** 200kg

### Feature

- Full Stainless Steel 304
- Stainless steel leg, flexible wheel with brake
- Cover can be moved
- Hole in the table used for sewerage
- Stainless steel bucket holder (bucket optional)
- Flip latches are provided to securely hold covers in down position



## Simple Mortuary Trolley

The Standard Dissection Platform is designed as an economical dissection platform for use in research laboratories and medical schools.


Used for corpse transport, corpse temporary storage and simple cadaver autopsy.

FLOH1



FLOH2



Picture		
Model Number	FLOH1	FLOH2
Material	Stainless Steel 304	
Product Size (mm)	2000*700*800	
(in)	78.7*27.6*31.5	
Package Size (mm)	2150*800*450	
(in)	84.6*31.5*17.7	
Volume(m <sup>3</sup> )	0.77	
Package	Plywood case	
Load Capacity	200KG	
Table	Concave table with a hole for sewage	
Wheels	/	Wheels with brake
Table leg	Detachable leg can save place during shipping	

## TRICTER



### Product Name:

Corpse Transfer Trolley (with cover),

### Applications:

Mortuary, Anatomy, forensic examinations, medical colleges and hospitals, etc.

### Product size:

L1940\*W650\*H660/1010mm(cover top)mm;  
Special sizes can be customized.

### Package:

Plywood case; packing size: 1970\*700\*790MM

### Specification:

- Material: Full stainless steel 304.
- Use: Transport from the hospital's ward to the morgue.
- The operator can easily operate and transfer the body to the cadaver refrigerator.
- Rusty steel structure and height-adjustable, operate lift system through foot pedal. Heavy-duty stainless steel roller frame with height adjustment via foot pedal.
- Stainless steel frame to cover the body and easy to disassemble.
- The removable cover can be washed (replaceable).
- Four 160 MM swivel caster wheels with brakes.
- Lifting height from 400MM to 900MM
- The frame consists of 30\*30mm, all made by 304 stainless steel tubes, welded in one piece and with the drawing process.

## RODEN



### Product Name:

Hydraulic cover cadaver transfer trolley.

### Applications:

Anatomy, forensic examinations, medical colleges and hospitals, etc.

### Product size:

L2040\*W670\*H600/900mm; Special sizes can be customized.

### Package:

Plywood case; packing size: 2150\*750\*700MM

### Specification:

- Material: 304 stainless steel.
- Hydraulic lifting system, height lift from 600 to 900mm.
- Base width: 660mm.
- The cover and rack part above the table: L2040\*W670; H400mm.
- The body tray can be moved.
- The body tray size: 1940\*580mm



## MARIENKAFER

### Product Name:

Corpse Transfer Cart.

### Applications:

Mortuary, Forensic examination, anatomy, medical colleges and hospitals, etc.

### Product size:

L1940\*W650\*H850/1050mm; Special sizes can be customized.

### Package:

Packed in plywood case; packing size:1970\*700\*790MM

### Specification:

- Material: Full 304 stainless steel.
- Front side and back side with the hand-start systems, to assist with lifting and making the work comfortable.
- The wonderful making , All welds are ground.
- D=150mm caster brake mechanism.
- Specifications; L1940\*W650\*H850/1050mm.



## MADE

### Product Name:

Autopsy station anatomical table.

### Applications:

Mortuary, Forensic examination, anatomy, medical colleges and hospitals, etc.

### Product size:

L2080\*W780\*H850/1050mm; Special sizes can be customized.

### Package:

Packed in plywood case; packing size: 2110\*1080\*790MM

### Specification:

- Material: Full 304 stainless steel.
- The frame is made of 30\*30mm, 304 stainless steel pipe.
- 304 stainless steel tube, overall welding, grinding drawing.
- 150mm moving caster supports braking.
- Countertop concave design, made of 304 stainless steel.
- Tilt adjustment is made up of turbine mechanism, lifting weight 200kg
- With hand lifting system
- 304 stainless steel
- 150MM caster brake mechanism
- Countertop with a drain hole
- Specifications: 2080\*780\*850/1050mm

